



3/525 1:4 UNIVERSAL DIAGNOSTICS, LLC
 673 N BARDSTOWN RD
 MOUNT WASHINGTON, KY 40047-7638



DEA REGISTRATION NUMBER	THIS REGISTRATION EXPIRES	FEE PAID
RU0568090	05-31-2022	\$296
SCHEDULES	BUSINESS ACTIVITY	ISSUE DATE
1	ANALYTICAL LAB	04-26-2021
UNIVERSAL DIAGNOSTICS, LLC UNIVERSAL DIAGNOSTICS, LLC 673 N BARDSTOWN RD MOUNT WASHINGTON, KY 40047-7638		

CONTROLLED SUBSTANCE REGISTRATION CERTIFICATE
 UNITED STATES DEPARTMENT OF JUSTICE
 DRUG ENFORCEMENT ADMINISTRATION
 WASHINGTON D.C. 20537

Sections 304 and 1008 (21 USC 824 and 958) of the Controlled Substances Act of 1970, as amended, provide that the Attorney General may revoke or suspend a registration to manufacture, distribute, dispense, import or export a controlled substance.

THIS CERTIFICATE IS NOT TRANSFERABLE ON CHANGE OF OWNERSHIP, CONTROL, LOCATION, OR BUSINESS ACTIVITY, AND IT IS NOT VALID AFTER THE EXPIRATION DATE.

CONTROLLED SUBSTANCE REGISTRATION CERTIFICATE
 UNITED STATES DEPARTMENT OF JUSTICE
 DRUG ENFORCEMENT ADMINISTRATION
 WASHINGTON D.C. 20537

DEA REGISTRATION NUMBER	THIS REGISTRATION EXPIRES	FEE PAID
RU0568090	05-31-2022	\$296
SCHEDULES	BUSINESS ACTIVITY	ISSUE DATE
1	ANALYTICAL LAB	04-26-2021

UNIVERSAL DIAGNOSTICS, LLC
 UNIVERSAL DIAGNOSTICS, LLC
 673 N BARDSTOWN RD
 MOUNT WASHINGTON, KY 40047-7638

Sections 304 and 1008 (21 USC 824 and 958) of the Controlled Substances Act of 1970, as amended, provide that the Attorney General may revoke or suspend a registration to manufacture, distribute, dispense, import or export a controlled substance.

THIS CERTIFICATE IS NOT TRANSFERABLE ON CHANGE OF OWNERSHIP, CONTROL, LOCATION, OR BUSINESS ACTIVITY, AND IT IS NOT VALID AFTER THE EXPIRATION DATE.

DEA REGISTRATION NUMBER	THIS REGISTRATION EXPIRES	FEE PAID
RU0568090	05-31-2022	\$296
SCHEDULES	BUSINESS ACTIVITY	ISSUE DATE
1	ANALYTICAL LAB	04-26-2021
UNIVERSAL DIAGNOSTICS, LLC UNIVERSAL DIAGNOSTICS, LLC 673 N BARDSTOWN RD MOUNT WASHINGTON, KY 40047-7638		

**CONTROLLED SUBSTANCE/REGULATED CHEMICAL
REGISTRATION CERTIFICATE**
UNITED STATES DEPARTMENT OF JUSTICE
DRUG ENFORCEMENT ADMINISTRATION
WASHINGTON D.C. 20537

Sections 304 and 1008 (21 USC 824 and 958) of the Controlled Substances Act of 1970, as amended, provide that the Attorney General may revoke or suspend a registration to manufacture, distribute, dispense, import or export a controlled substance.

THIS CERTIFICATE IS NOT TRANSFERABLE ON CHANGE OF OWNERSHIP, CONTROL, LOCATION, OR BUSINESS ACTIVITY, AND IT IS NOT VALID AFTER THE EXPIRATION DATE.

Form DEA-223/511 (9/2016)

**REPORT
CHANGES
PROMPTLY**

**REQUESTING MODIFICATIONS TO YOUR
REGISTRATION CERTIFICATE**

To request a change to your registered name, address, the drug schedule or the drug codes you handle, please

1. visit our web site at deadiversion.usdoj.gov - or
2. call our customer Service Center at 1-(800) 882-9539 - or
3. submit your change(s) in writing to:

**Drug Enforcement Administration
P.O. Box 2639
Springfield, VA 22152-2639**

See Title 21 Code of Federal Regulations, Section 1301.51 for complete instructions.



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Universal Diagnostics

673 N. Bardstown Road, Mount Washington KY 40047

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical and Microbiological Testing *(As detailed in the supplement)*

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

June 4, 2021

Issue Date:

June 4, 2021

Expiration Date:

July 31, 2023

Accreditation No.:

113856

Certificate No.:

L21-356

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjilabs.com



Certificate of Accreditation: Supplement

Universal Diagnostics

673 N. Bardstown Road, Mount Washington KY 40047

Contact Name: Daniel Burriss Phone: 423-580-2315

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Plant Material/ Marijuana Infused Products Cannabis Extracts Hemp Plant Material and Extracts	Cannabinoids: CBC CBD CBDA CBDV CBG CBGA CBN D8-THC D9-THC THCA THCV	Universal Diagnostic Labs SOP SOP.KY.02.012 (HPLC)	D.L. = 0.001 % D.L. = 0.000 1 % D.L. = 0.001 % D.L. = 0.001 % D.L. = 0.001 % D.L. = 0.001 % D.L. = 0.001 % D.L. = 0.001 % D.L. = 0.000 1 % D.L. = 0.001 % D.L. = 0.001 %
		Heavy Metals Screening: Arsenic Cadmium Lead Mercury	Universal Diagnostic Labs SOP SOP.KY.02.020 (ICP-MS)	D.L. = 0.02 ppm D.L. = 0.02 ppm D.L. = 0.02 ppm D.L. = 0.02 ppm
		Residual Solvents: Benzene 2-Propanol Acetone Acetonitrile Butanes (N-Butane) Ethanol Ethyl Acetate Ethyl Ether n-Heptane n-Hexane Isobutane Methanol n-Pentane Propane Toluene Xylenes-M/P Xylenes-O	Universal Diagnostic Labs SOP SOP.KY.02.016 GC-MS	D.L. = 40 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 200 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 200 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 40 ppm D.L. = 400 ppm D.L. = 40 ppm D.L. = 80 ppm D.L. = 40 ppm



Certificate of Accreditation: Supplement

Universal Diagnostics

673 N. Bardstown Road, Mount Washington KY 40047
 Contact Name: Daniel Burriss Phone: 423-580-2315

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Plant Material / Marijuana Infused Products / Cannabis Extracts Hemp Plant Material and Extracts	Pesticides: Propoxur Pyrethrin I Pyridaben Spinetoram Spinosad (Spinosyn A) Spinosad (Spinosyn D) Spiromesifen Spirotetramat 0 Spiroxamine Tebuconazole Thiacloprid Thiamethoxam	Universal Diagnostic Labs SOP SOP.KY.02.022 LCMSMS Universal Diagnostic Labs SOP SOP.KY.02.023 GCMSMS	D.L. = 0.01 ppm D.L. = 0.01 ppm D.L. = 0.005 ppm D.L. = 0.005 ppm D.L. = 0.01 ppm D.L. = 0.01 ppm D.L. = 0.01 ppm D.L. = 0.02 ppm D.L. = 0.01 ppm D.L. = 0.01 ppm D.L. = 0.01 ppm
		Mycotoxins: Aflatoxins G2 Aflatoxins G1 Aflatoxins B2 Aflatoxins B1 Ochratoxin A	Universal Diagnostic Labs SOP SOP.KY.02.022 LCMSMS	D.L. = 0.001 ppm D.L. = 0.001 ppm D.L. = 0.001 ppm D.L. = 0.001 ppm D.L. = 0.001 ppm
Microbiological ^F		Aspergillus_Terreus_1j2 Aspergillus Niger Aspergillus_Fumigatus Aspergillus_Flavus Salmonella_Specific_Gene Escherichia_Coli_Shigella_Spp	Universal Diagnostic Labs SOP SOP.KY.02.018 (PCR)	> 1 CFU > 1 CFU > 1 CFU > 1 CFU > 1 CFU > 1 CFU

- The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer^F would mean that the laboratory performs this testing at its fixed location.